	Type	L #	Hits	Search Text
1	BRS	L1	19	fcot and (home adj position)
2	BRS	L2	182087	fcot with (home adj position) search$3
3	BRS	L3	0	fcot with (home adj position) with search$3
4	BRS	L4	0	fcot with (home adj position)
5	BRS	L5	0	fcot same (home adj position)
6	BRS	L6	58	omit$5 with (home adj position)
7	BRS	L7	10	omit$5 adj5 (home adj position)
8	BRS	L8	0	omit$5 adj5 (search$3 near3 (home adj position))
9	BRS	L9	28	plurality adj (home adj position)
10	BRS	L10	33	plurality adj (home adj position)
11	BRS	L11	5	plurality adj (home adj position)
12	BRS	L12	0	(search$3 near5 (home adj position)) with (predetermined near3 (period time))
13	BRS	L13	0	(search$3 near5 (home adj position)) with (predetermined near3 (period time))
14	BRS	L14	0	(search$3 near5 (home adj position)) with (period near2 time)
15	BRS	L15	9	(search$3 near5 (home adj position)) with time
16	BRS	L16	201	((detect$3 find$3) near5 (home adj position)) with time
17	BRS	L17	21	((detect$3 find$3) near5 (home adj position)) with (predetermined near3 (period time))
18	BRS	L18	0	(((home adj position adj sensor) adj5 on) with (forward direction)) and (((home adj position adj sensor) adj5 off) with (back backward direction))
19	BRS	L19	3	"5239341".uref.
20	BRS	L20	0	(((reading scanning) near3 starts) adj8 (without adj3 detect$3 adj3 position)) with (instruction depress$3 push$3) near5 ((predetermined preset) near3 (time periiod))

	Type	L #	Hits	Search Text
21	BRS	L21	0	((reading scanning) adj8 (without adj3 detect$3 adj3 position)) with (instruction depress$3 push$3) near5 ((predetermined preset) near3 (time periiod))
22	BRS	L22	0	((reading scanning) adj8 ("without" adj3 detect$3 adj3 position)) with (instruction depress$3 push$3) near5 ((predetermined preset) near3 (time periiod))
23	BRS	L23	0	(reading scanning) with without with detect$3 with position with (instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod))
24	BRS	L24	4	(home adj position) and ((detect$3 near3 position) with (instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))
25	BRS	L25	0	24 and ((home adj position) same ((shorten$3 short$2 reduc$3) with time))
26	BRS	L26	1	24 and ((shorten$3 short$2 reduc$3) with time)
27	BRS	L27	209	(home adj position) and ((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))
28	BRS	L29	2	28 and (adf df)
29	BRS	L28	44	(home adj position) and (position with (instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))
30	BRS	L30	336	lee-cheukfan.xp.
31	BRS	L31	91	lee-cheukfan.xa.
32	BRS	L32	264	lee-fan.xa.
33	BRS	L33	691	30 31 32
34	BRS	L34	35	33 and (home adj position)
35	BRS	L35	2	((without omit$5 omission "not") and (home adj position)).ab. and ((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))
36	BRS	L36	5	((without omit$5 omission "not") and (detect$3 near2 position)).ab. and ((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))

	Type	L #	Hits	Search Text
37	BRS	L37	209	(home adj position) and ((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod)))
38	BRS	L38	100	37 and ((shorten$3 short$2 reduc$3) with time)
39	BRS	L39	18	38 and "399"/$.ccls.
40	BRS	L40	18	38 and "358"/$.ccls.
41	BRS	L41	15	40 not 39
42	BRS	L42	7	38 and adf
43	BRS	L43	22	38 and (document adj feed$3)
44	BRS	L44	16	43 not 42
45	BRS	L45	82	38 not 39
46	BRS	L46	67	45 not 40
47	BRS	L47	64	46 not 42
48	BRS	L48	60	47 not 43
49	BRS	L49	0	(home adj position) and (((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod))) same (without adj3 (detect$3 adj2 position)))
50	BRS	L50	0	(home adj position) and (((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod))) same ("not" with (detect$3 near3 position)))
51	BRS	L51	0	(home adj position) and (((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod))) same (eleminat$3 with (detect$3 near3 position)))
52	BRS	L52	0	(home adj position) and (((instruction depress$3 push$3) with ((predetermined preset) near3 (time periiod))) same ((detect$3 near5 (current adj2 position))))
53	BRS	L53	109	37 not 38
54	BRS	L54	21	53 and "399"/$.ccls.

	Type	L #	Hits	Search Text
55	BRS	L55	11	53 and "358"/$.ccls.
56	BRS	L56	88	53 not 54
57	BRS	L57	77	56 not 55
58	BRS	L58	7	(home adj position) and ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset·elaps$3) near3 (time periiod)))
59	BRS	L59	68	(home adj position) and ((start$2 instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time periiod)))
60	BRS	L60	61	59 not 58
61	BRS	L61	31	60 and "399"/$.ccls.
62	BRS	L62	0	(((reduc$5 shorten$5) with FOCT) and (home adj position)).ab.
63	BRS	L63	10	(((reduc$5 shorten$5) with time) and (home adj position)).ab.
64	BRS	L64	427	(without with detect$3 with position) and (within with (((predetermined preset (pre adj (determined set))) near3 (time period duration)) (time adj out)))
65	BRS	L65	33	64 and (home adj position)
66	BRS	L66	7036	(without with detect$3 with position)
67	BRS	L67	293	66 and (home adj position)
68	BRS	L68	253075	(predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))
69	BRS	L69	123	68 and 67
70	BRS	L70	29	69 and "399"/$.ccls.
71	BRS	L71	1812	68 with (start$3 with (read$3 scan$5))
72	BRS	L72	6	67 and 71

| 73 | BRS | L73 | 38664 | within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out)) |

	Type	L #	Hits	Search Text
74	BRS	L74	801	73 and (home adj position)
75	BRS	L75	517	(home adj position) and ((within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))) ((original document) adj3 detected))
76	BRS	L76	211	(home adj position) and (after same ((within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))) ((original document) adj3 detected)))
77	BRS	L77	48	(home adj position) and ((after with complet$3) same ((within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))) ((original document) adj3 detected)))
78	BRS	L78	40	(after with (finish$3 complet$3)) same (within with ((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
79	BRS	L79	4	78 and (home adj position)
80	BRS	L80	126	(finish$3 complet$3) same (within with ((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
81	BRS	L81	6	80 and (home adj position)
82	BRS	L82	316	(after with (finish$3 complet$3)) same (((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
83	BRS	L83	316	(after with (finish$3 complet$3)) same (((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
84	BRS	L84	11	83 and (home adj position)

	Type	L #	Hits	Search Text
85	BRS	L85	1415	"399"/$.ccls. and (home adj position)
86	BRS	L86	1005	(within with ((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
87	BRS	L87	8	86 and 85
88	BRS	L88	0	86 and (without adj detect$3 adj3 position)
89	BRS	L89	2	86 same (start$2 near3 (scanning reading))
90	BRS	L90	52	86 same (scanning reading)
91	BRS	L91	2	90 and "399"/$.ccls.
92	BRS	L92	17	90 and (high adj speed)
93	BRS	L93	39	90 and ((reduc$5 sav$3 short$5) with time)
94	BRS	L94	0	93 and (home adj position)
95	BRS	L95	30	((start$3 with (scanning reading)) with ((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
96	BRS	L96	0	95 and (home adj position)
97	BRS	L97	50	((start$3 with (scanning reading)) same ((predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))) with (instruction depress$3 pushed ((start copy) adj2 (key button))))
98	BRS	L98	2	97 and (home adj position)
99	BRS	L99	904	((("not" without) near2 detect$3) near5 position)
100	BRS	L100	41	99 and (home adj position)
101	BRS	L101	28	100 and ((sav$3 reduc$5 short$5) with time)
102	BRS	L102	13	100 not 101

| 103 | BRS | L103 | 41 | 73 with (start$3 adj3 (scan$5 read$3)) |

	Type	L #	Hits	Search Text
104	BRS	L104	3	103 and (home adj position)
105	BRS	L105	2	"5162851".uref.
106	BRS	L106	4	103 and ((park$3 stop) adj position)
107	BRS	L107	38	103 not 104
108	BRS	L108	0	107 and brakig
109	BRS	L109	1	107 and braking
110	BRS	L110	161	(start$3 with (scan$5 read$3)) with within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))
111	BRS	L111	9	110 and (home adj position)
112	BRS	L112	2231	(scan$5 read$3) with within with (predetermined preset (pre adj (determined set))) near3 ((time period duration) (time adj out))
113	BRS	L113	53	112 and (home adj position)
114	BRS	L114	0	hiroshi-murano.in.
115	BRS	L115	0	hiroshi-murano.in.
116	BRS	L117	0	16 and (home adj position)
117	BRS	L116	13	murano-hiroshi.in.
118	BRS	L118	13	murano-hiroshi.in.
119	BRS	L119	100	(home adj position) same (high adj speed)
120	BRS	L120	2	119 and ((time adj out) (time near period))
121	BRS	L121	428	(home adj position) same (high adj speed)
122	BRS	L122	0	21 and (home adj position)
123	BRS	L123	193	121 and ((time adj out) (time near period))
124	BRS	L124	0	123 and ((skip$5 bypass$3 (by adj pass$3) without) adj5 (detect$3 adj3 position))

	Type	L #	Hits	Search Text
125	BRS	L125	38	123 and (document adj feed$3)
126	BRS	L126	107	(((predetermined adj2 (time period)) (time adj out)) and (resonpse (reading adj instruction) pressed pushed)).ab.
127	BRS	L127	0	126 and (home adj position)
128	BRS	L128	637	(((predetermined adj2 (time period)) (time adj out)) and (resonpse instruction depress$3 push$3)).ab.
129	BRS	L129	12	128 and (home adj position)
130	BRS	L130	0	((omit$5 skip$5) with detect$3 with (home adj position)) same ((reduc$5 sav$3 short$5) with (FCOT time))
131	BRS	L131	7	((omit$5 skip$5) with (home adj position)) same ((reduc$5 sav$3 short$5) with (FCOT time))
132	BRS	L132	70	((omit$5 skip$5) with (home adj position)) and ((reduc$5 sav$3 short$5) with (FCOT time))
133	BRS	L133	63	132 not 131
134	BRS	L134	15	((omit$5 skip$5) with (detect$3 near3 position)) same ((reduc$5 sav$3 short$5) with (FCOT time))
135	BRS	L135	2	134 and (home adj position)
136	BRS	L136	1	(home adj position) same brak$3 same ((predetermined adj2 (time period)) with start$3 with (read$3 scan$3))
137	BRS	L137	19	(home adj position) same ((predetermined adj2 (time period)) with start$3 with (read$3 scan$3))
138	BRS	L138	46	(home adj position) same ((predetermined adj2 (time period)) with (read$3 scan$3))
139	BRS	L139	27	138 not 137
140	BRS	L140	4	(home adj position) same (within with (time period) with start$3 with (read$3 scan$3))
141	BRS	L141	958	("not" with detect$3 with (home adj position)) (within with (time period) with start$3 with (read$3 scan$3))
142	BRS	L142	0	("not" with detect$3 with (home adj position)) and (within with (time period) with start$3 with (read$3 scan$3))

| 143 | BRS | L143 | 0 | ("not" with detect$3 with (home adj position)) and (elaps$3 with (time period) with start$3 with (read$3 scan$3)) |

	Type	L #	Hits	Search Text
144	BRS	L144	0	("not" with detect$3 with (home adj position)) and ((elaps$3 within) with (time period) with (read$3 scan$3))
145	BRS	L145	0	("not" with detect$3 with position) and (home adj position) and ((elaps$3 within) with (time period) with (read$3 scan$3))
146	BRS	L146	0	("not" with detect$3 with (home adj position)) with (succeeding adj (original document))
147	BRS	L147	0	(("not" with detect$3 with position) with (succeeding adj (original document))) and (home adj position)
148	BRS	L148	1657152	"not"
149	BRS	L149	0	("not" with (home adj position)) and (within with (time period) with start$3 with (read$3 scan$3))
150	BRS	L150	0	("not" with (home adj position)) with (time period) with start$3 with (read$3 scan$3)
151	BRS	L151	0	("not" with (home adj position)) with (time period) with (read$3 scan$3)
152	BRS	L152	0	("not" with (home adj position)) with (predetermined adj3 (time period))
153	BRS	L153	0	(("not" with position) with (predetermined adj3 (time period))) and (home adj position)
154	BRS	L154	2	(home adj position) and ((predetermined adj3 (time period)) with (instruction depress$3 pushed) with (document original document) with (scan$3 read$3))
155	BRS	L155	2	(home adj position) and ((predetermined adj3 (time period)) with (instruction depress$3 pushed) with (document original document) with (scan$3 read$3))
156	BRS	L156	1	(home adj position) and ((time near2 period) with (instruction depress$3 pushed) with (document original document) with (scan$3 read$3))
157	BRS	L157	7	(home adj position) and ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time period)))
158	BRS	L158	29	(home adj position) and (start$3 with (scanning reading) with position with ((predetermined preset elaps$3) near3 (time period)))

	Type	L #	Hits	Search Text
159	BRS	L159	0	(without adj3 detect$3 adj5 position) and (start$3 with (scanning reading) with position with ((predetermined preset elaps$3) near3 (time period)))
160	BRS	L160	0	(without adj5 detect$3 adj5 position) and ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time period)))
161	BRS	L161	4	(stopped adj position) and ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time period)))
162	BRS	L162	31	(predetermined adj position) and ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time period)))
163	BRS	L163	18	162 and speed
164	BRS	L164	1	(predetermined adj position) same ((instruction depress$3 push$3) with (scanning reading) with ((predetermined preset elaps$3) near3 (time period)))
165	BRS	L165	493	(home adj position) and ((predetermined adj3 (time period)) with (read$3 scan$5))
166	BRS	L166	407	165 and speed
167	BRS	L167	106	166 and "399"/$.ccls.
168	BRS	L169	0	168 and (home adj position)
169	BRS	L168	3	(after adj5 elaps$2) adj10 (position near5 (read$3 scan$3) near5 detect$3)
170	BRS	L170	0	(reading near3 instruction) with ((after adj6 (time near3 (pass$3 elaps2))) adj10 (position near5 (read$3 scan$3) near5 detect$3))
171	BRS	L171	0	instruction with (after adj10 (time near3 (pass$3 elaps2))) with (position near8 (read$3 scan$3) near8 detect$3)
172	BRS	L172	3	(after adj10 (time near3 (pass$3 elaps2))) with (position near8 (read$3 scan$3) near8 detect$3)
173	BRS	L173	2	("no" adj3 detection adj5 position) with (predetermined adj3 (time period))
174	BRS	L174	4	("no" adj3 detect$3 adj5 position) with (predetermined adj3 (time period))
175	BRS	L175	2	(after adj10 (time near3 (pass$3 elaps2))) with (position near8 carriage near8 detect$3)

	Type	L #	Hits	Search Text
176	BRS	L176	92	(after adj10 (time near3 (pass$3 elaps2))) with (position near8 detect$3)
177	BRS	L177	11	176 and (home adj position)
178	BRS	L179	1	178 and (home adj position)
179	BRS	L180	1	178 and (document adj feed$3)
180	BRS	L181	0	178 and "399"/$.ccls.
181	BRS	L182	3	178 and "358"/$.ccls.
182	BRS	L178	39	((reading scanning) adj5 (within adj2 (time period))) with (without "no" "not")
183	BRS	L183	691	((reading scanning) adj5 (within adj2 (time period)))
184	BRS	L184	30	183 and (home adj position)
185	BRS	L185	42	fcot
186	BRS	L186	16	185 and "399"/$.ccls.
187	BRS	L187	26	185 not 186
188	BRS	L188	16	187 and (home adj position)
189	BRS	L189	3	omit$5 near8 (home adj position) near8 (search$3 detect$3)
190	BRS	L190	1	avoid$3 near8 (home adj position) near8 (search$3 detect$3)